

Effects of Continuous Monitoring and Progressive Regulation of Inflatable Laryngeal Mask Airway Cuff Pressure on Postoperative Pharyngolaryngeal Complications in Elderly Patients

NCT07461467

Status	RECRUITING
Phase	Not Applicable
Sponsor	First Affiliated Hospital of Chongqing Medical University
Enrollment	146 participants

Key Eligibility Criteria

Inclusion (9)

- Aged e 60years;
- Non-cardiac, non-thoracic, and non-head and neck surgery;
- Non-laparoscopic surgery;
- Elective surgery;
- Surgical position: supine position ;
- ... and 4 more (see full listing online)

Exclusion (8)

- Preoperative predictable difficult airways, such as trismus, limited neck mobility, and other related conditions;
- Preoperative pharyngeal and laryngeal complications including sore throat, hoarseness, blood-tinged sputum, and dysphagia;
- Preexisting conditions such as loose teeth, laryngeal obstruction, laryngeal edema, acute airway inflammation, and gastrointestinal bleeding;
- Comorbidities of respiratory diseases like chronic obstructive pulmonary disease (COPD) and asthma;
- Allergies to ILMA materials (e.g., silicone, polyvinylchloride \[PVC\]);
- ... and 3 more (see full listing online)

Locations (1 total)

The First Affiliated Hospital of Chongqing Medical University, Chongqing, Chongqing Municipality, China